




无锡立达齿轮制造有限公司

WUXI LIDA GEAR MANUFACTURING CO., LTD



JB/T2300-1999

111serie

112serie

Number	Basic Type	Dimensions			Installation hole size				Structure size				Gear Data					Tangential Tooth Load		Reference Weight (KG)	
		Outer teeth DL mm	D mm	d mm	H mm	D ₁ mm	D ₂ mm	n	Φ mm	n ₁	D ₃ mm	d ₁ mm	H ₁ mm	h mm	B mm	x	m mm	z	De mm		Normalizing Z 10 ⁴ N
1	111.25.500	602	398	75	566	434	20	18	4	498	502	65	10	60	+0.5	5	123	629	3.7	5.2	84
	6															102	628.8	4.5	6.2	84	
2	111.25.560	662	458	75	626	494	20	18	4	558	562	65	10	60	+0.5	5	135	689	3.7	5.2	92
	6															112	688.8	4.5	6.2	92	
3	111.25.630	732	528	75	696	564	24	18	4	628	632	65	10	60	+0.5	6	126	772.8	4.5	6.2	111
	8															94	774.4	6	8.3	111	
4	111.25.710	812	608	75	776	644	24	18	4	708	712	65	10	60	+0.5	6	139	850.8	4.5	6.2	125
	8															104	854.4	6	8.3	125	
5	111.28.800	922	678	82	878	722	30	22	6	798	802	72	10	65	+0.5	8	118	966.4	6.5	9.1	179
	10															94	968	8.1	11.4	179	
6	111.28.900	1022	778	82	978	822	30	22	6	898	902	72	10	65	+0.5	8	130	1062.4	6.5	9.1	200
	10															104	1068	8.1	11.4	200	
7	111.28.1000	1122	878	82	1078	922	36	22	6	998	1002	72	10	65	+0.5	10	116	1188	8.1	11.4	242
	12															96	1185.6	9.7	13.6	242	



无锡立达齿轮制造有限公司

WUXI LIDA GEAR MANUFACTURING CO., LTD

Number	Basic Type	Dimensions			Installation hole size				Structure size				Gear Data				Tangential Tooth Load		Weight Reference (KG)		
	Outer teeth DL mm	D mm	d mm	H mm	D ₁ mm	D ₂ mm	n	Φ mm	n ₁	D ₃ mm	d ₁ mm	H ₁ mm	h mm	B mm	x	m mm	z	De mm		Normalizing Z 10 ⁴ N	Tempering T 10 ⁴ N
8	111.28.1120	1242	988	82	1198	1042	36	22	6	1118	1122	72	10	65	+0.5	10	127	1298	8.1	11.4	261
	12															106	1305.6	9.7	13.6	261	
9	111.32.1250	1390	1110	91	1137	1163	40	26	5	1248	1252	81	10	75	+0.5	12	118	1449.6	11.3	15.7	362
	14															101	1453.2	13.2	18.2	362	
10	111.32.1400	1540	1260	91	1487	1313	40	26	5	1398	1402	81	10	75	+0.5	12	131	1605.6	11.3	15.7	417
	14															112	1607.2	13.2	18.2	411	
11	111.32.1600	1740	1460	91	1678	1513	45	26	5	1598	1602	81	10	75	+0.5	14	127	1817.2	13.2	18.2	488
	16															111	1820.8	15.1	22.4	484	
12	111.32.1800	1940	1660	91	1887	1713	45	26	5	1798	1802	81	10	75	+0.5	14	141	2013.2	13.2	18.2	530
	16															123	2012.8	15.1	22.4	530	
13	111.40.2000	2178	1825	112	2110	1891	48	33	8	1997	2003	100	12	90	+0.5	16	139	2268.8	18.1	25	935
	18															123	2264.4	20.3	28.1	935	
14	111.40.2240	2418	2065	112	2350	2131	48	33	8	2237	2243	100	12	90	+0.5	16	153	2492.8	18.1	25	1008
	18															136	2498.4	20.3	28.1	1008	
15	111.40.2500	2678	2325	112	2610	2391	56	33	8	2497	2503	100	12	90	+0.5	18	151	2768.4	20.3	28.1	1147
	20															136	2776	22.6	31.3	1147	
16	111.40.2800	2978	2625	112	2910	2691	56	33	8	2797	2803	100	12	90	+0.5	18	168	3074.4	20.3	28.1	1320
	20															151	3076	22.6	31.3	1320	
17	111.50.3150	3376	2922	134	3286	3014	56	45	8	3147	3153	122	12	110	+0.5	20	171	3476	27.6	38.3	2222
	22															155	3471.6	30.4	42.1	2222	
18	111.50.3550	3776	3322	134	3686	3414	56	45	8	3547	3553	122	12	110	+0.5	20	191	3876	27.6	38.3	2470
	22															174	3889.6	30.4	42.1	2470	
19	111.50.4000	4226	3772	134	4136	3864	60	45	10	3997	4003	122	12	110	+0.5	22	194	4329.6	30.4	42.1	2800
	25															171	4345	34.5	47.8	2800	
20	111.50.4500	4726	4272	134	4636	4364	60	45	10	4497	4503	122	12	110	+0.5	22	217	4835.6	30.4	42.1	3100
	25															191	4845	34.5	47.8	3100	